

Liquid/Chemical	GT 100 Nitrile	GT 200 EPDM	GT 200S Santoprene	GT 300 Viton	Specialty Pumps	Notes
1,2-PROPANEDIOL	Best	Best	Best	Best		also known as Propylene Glycol
2 EHA	[n/r]	[n/r]	[n/r]	[n/r]		BASF
2,4-D Amine 500	Do Not Use	Good	[n/r]	[n/r]		Requires Closed Mixing system in California
2,4-D Ester 800	[n/r]	[n/r]	[n/r]	Best		Requires Closed Mixing System in California
3M Adhesion Promoter 4298UV	[n/r]	[n/r]	[n/r]	Best		
4% AND 30%	Do Not Use	Do Not Use	[n/r]	Best		
959T Low Residue no clean Flux	Do Not Use	Best	Good	Do Not Use		
1610 White Wax (water based concrete curing compound)	Best	Best	Best	Best		
9630 Thinner (Nazdar)	Do Not Use	Caution	Best	Caution		May require tap o-ring change from time to time
A1011 MultiPurpose Solvent	Best	Do Not Use	Do Not Use	Best		Ask factory for "Old Washers" for best results
Abitol E Hydroabietyl Alcohol, Hydroabietyl Alcohol	Good	Caution	[n/r]	Best		May be too thick for GT pumps
ACB - 30	Best	Best	[n/r]	[n/r]		
Accelerator DY 062 US	[n/r]	[n/r]	[n/r]	[n/r]		
Acculube 6800	Do Not Use	Do Not Use	Do Not Use	Best		
Acetaldehyde	Do Not Use	Best	[n/r]	Caution		Wash
Acetamide	Best	Best	[n/r]	Best		
Acetic Acid 10%	Do Not Use	Do Not Use	Do Not Use	Best		
Acetic Acid 56%	Do Not Use	Do Not Use	Do Not Use	Good		
Acetic Acid (10%)	[n/r]	[n/r]	[n/r]	Best		
Acetic Acid up 25 - 85%	Do Not Use	Do Not Use	Best	Good		
Acetic Acid up to 25%	Best	Best	Best	Best		

acetic acid, 100%,	Do Not Use	Good	Do Not Use	Caution		Special pump required - May require change of tap o-rings
Acetic Anhydride	Do Not Use	Caution	Best	Do Not Use		Wash
Acetone	Do Not Use	Caution	Best	Do Not Use	Flammable Liquid, use with SCP Pump	May require tap oring change once a month
Acetone, technically pure	Do Not Use	Good	Best	Do Not Use	Flammable Liquid, use with SCP Pump	may require tap oring change once a month
Acetone, Traces	Good	Best	Best	Good		
Acetonitrile	[n/r]	Best	Best	[n/r]		
Acetophenone	Do Not Use	Best	[n/r]	Caution		
Acetyl Acetone	Caution	Best	[n/r]	Caution		
Acetylene	Best	Caution	Best	Best		Test
Acetylene Tetrabromide	[n/r]	Best	[n/r]	Best		
Acid Brite #2 (Birko)	[n/r]	[n/r]	[n/r]	Best		
Acid Red 52	Best	Best	Best	Best		
Acrylic Acid	Do Not Use	Best	Do Not Use	Do Not Use		May need to change tap o-ring regularly, Remote Tap requires Tygon 2075 tubing
Acrylonitrile (Vinyl Cyanide)	Do Not Use	Best	[n/r]	Do Not Use		Test
ACTICIDE 14	[n/r]	[n/r]	[n/r]	Best		
ACTICIDE A2	[n/r]	[n/r]	[n/r]	Best		
ACTRIL DS	[n/r]	[n/r]	[n/r]	Best		
AFCO 5262 Rubber DDET II	Do Not Use	Best	Caution	Do Not Use		
AGRITOX	Best	[n/r]	[n/r]	[n/r]		
Aircraft Soap	Best	Best	Best	Best		
ALBAROL	[n/r]	[n/r]	[n/r]	Best		
Alkazene	Caution	Caution	[n/r]	Good		Wash
Allyl Alcohol	Best	Do Not Use	Do Not Use	Caution		
Alodine 600 RTU	Do Not Use	Do Not Use	Do Not Use	Best		
Alpha Cypermethryn	[n/r]	[n/r]	[n/r]	Best		
Aluminium Acetate	Best	Best	[n/r]	Best		
Aluminium Bromide	Best	Best	[n/r]	Best		

Aluminium Chloride 20%	Best	Best	Best	Best		
Aluminium Fluoride 20%	Best	Best	[n/r]	Best		
Aluminium Nitrate	Best	Best	[n/r]	Best		
Aluminium Salts	Best	[n/r]	[n/r]	[n/r]		
Aluminium Sulfate 10%	Best	Best	Best	Best		
Aluminum chloride hydroxide	Best	Best	Best	Best		
Aluminum chloride, basic	Best	Best	Best	Best		
Aluminum chlorohydrate	Best	Best	Best	Best		
Aluminum hydroxychloride	Best	Best	Best	Best		
Aluminum oxychloride	Best	Best	Best	Best		
Alums- NH3-Cr-K	Best	Best	Best	Caution		
Ammonium Acetate	Best	[n/r]	[n/r]	[n/r]		
Ammonium Carbonate 10%	Best	Best	Best	Best		
Ammonium Chloride	Good	Best	Best	Best		Test
Ammonium Dibasic	Best	[n/r]	[n/r]	[n/r]		
Ammonium Hydroxide / Aqua Ammonia	Caution	Caution	Caution	Best		
Ammonium Monobasic	Best	[n/r]	[n/r]	[n/r]		
Ammonium Nitrate	Best	Best	Best	Best		

Ammonium Persulfate	Do Not Use	Best	[n/r]	Best		
Ammonium Phosphate(Di, Tri, & Mono)	Best	Best	Best	Best		
Ammonium Salts	Best	[n/r]	[n/r]	[n/r]		
Ammonium Sulfate	Best	Best	Best	Best		
Ammonium Sulphide	Best	Best	[n/r]	Best		
Amyl -Alcohol	Good	Best	Best	Best		
Amyl -Chloride	Good	Do Not Use	[n/r]	Good		
Amyl Naphthalene	Do Not Use	Caution	[n/r]	Best		
Amyl- Acetate	Do Not Use	Good	Best	Do Not Use		Wash
Amyl- Borate	Best	Good	[n/r]	Best		
Anhydrous Ammonia	[n/r]	Best	[n/r]	[n/r]		
Anhydrous Hydrazine	[n/r]	Best	[n/r]	[n/r]		
Anhydrous Hydrogen Fluoride	[n/r]	Best	[n/r]	[n/r]		
Aniline	Do Not Use	Good	Best	Good		
Aniline Dyes	Caution	Caution	[n/r]	Good		
Aniline Hydrochloride 20%	Good	Good	[n/r]	Best		
Aniline Oil	Do Not Use	Good	[n/r]	Best		
Animal Fats	Best	Best	[n/r]	Best		
ANSULEX Low pH	Good	Best	Good	Do Not Use		
Anti Freeze (glycol)	Good	Best	Good	Do Not Use		
Aqua Regia	Do Not Use	Good	[n/r]	Caution		
AQUA ROOT	Do Not Use	Best	[n/r]	Do Not Use		
AQUA-SOL 20/20 wetting agent	Do Not Use	Best	Best	Do Not Use		

Aqualine R110	[n/r]	[n/r]	[n/r]	Best		
AQUAMAID LIQUID PENETRATING WETTING AGENT	Do Not Use	Best	[n/r]	Do Not Use		
AQUAMASTER	Do Not Use	Do Not Use	[n/r]	Best		
Aquathol - K herbicide (Endothall)	[n/r]	Good	[n/r]	[n/r]		
AQUIFER LIQUID (AQUA AID)	Do Not Use	Best	[n/r]	Do Not Use		
ARMOR ALL PROTECTANT	Do Not Use	Best	Do Not Use	Do Not Use		
Arsenic Acid	Best	Best	Best	Best		
ART BLASTER (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
ARTBLASTER (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
ASAFA	Do Not Use	Do Not Use	Do Not Use	Best		
ASE-60	Best	[n/r]	[n/r]	[n/r]		
ASSAULT - Astec Chemical	Best	Do Not Use	Do Not Use	Best		
ASTRO	Do Not Use	Do Not Use	Do Not Use	Best		
Automatic Transmission Fluid	Best	Caution	[n/r]	Best		
Automotive Brake Fluid	Caution	Best	[n/r]	Caution		
Azadiractin	Good	Best	Caution	Best		PVC hose is fine
Baking Soda	Best	Best	Best	Best		
BAND-ADE Sawing Fluid	Best	Best	[n/r]	Best		
BANNER - fungicide	Do Not Use	Good	Do Not Use	Do Not Use		
BANNER MAXX	Do Not Use	Best	[n/r]	Best		

Barcroft MG HYD Dried Gel, Aluminum Hydroxide/Aluminum Hydroxycarbonate	Good	Good	[n/r]	Best		
Barcroft MG HYD Paste, Water/Magnesium Hydroxide	Best	[n/r]	[n/r]	[n/r]		
Barium Chloride	Best	Best	[n/r]	Best		
Barium Hydroxide	Best	Best	Best	Best		
Barium Salts	Best	[n/r]	[n/r]	[n/r]		
Barium Sulfide	Good	Best	[n/r]	Best		
BARREL	[n/r]	[n/r]	[n/r]	Best		
BARRICADE	Do Not Use	Best	[n/r]	Good		Syngenta
Barsol A-4165	Do Not Use	Good	Do Not Use	Do Not Use		
BAYCOR 300	[n/r]	Best	[n/r]	[n/r]		
BAYFIDAN 250 EC	[n/r]	Best	[n/r]	[n/r]		
BAYLETON 125 EC	[n/r]	[n/r]	[n/r]	Best		Test
BAYTAN C Flowable seed dressing	Best	[n/r]	[n/r]	[n/r]		Test
Beer	Good	Best	Best	Best		
Beet Sugar Liquors	Best	Best	[n/r]	Best		Test
BELPOL 240	Good	[n/r]	[n/r]	Best		
BELPOL 280	Best	[n/r]	[n/r]	Good		
BELPOL Ardeca Antifreeze Plus	[n/r]	[n/r]	[n/r]	Best		
BELPOL HDR	Caution	[n/r]	[n/r]	Best		
BELPOL Omnium	Best	[n/r]	[n/r]	Best		
BELPOL Traffic	Caution	[n/r]	[n/r]	Best		
BELPOL Transclean	[n/r]	[n/r]	[n/r]	Best		
Benzaldehyde 10%	Do Not Use	Caution	[n/r]	Caution		Needs nylon housing and PTFE o-rings

Benzene	Do Not Use	Do Not Use	Do Not Use	Good		
Benzenesulfonic Acid 10%	Do Not Use	Caution	[n/r]	Best		
Benzine(Gasoline)	Do Not Use	Do Not Use	Do Not Use	Best		
Benzochloride	[n/r]	Best	[n/r]	[n/r]		Test
Benzoic Acid	Good	Caution	Best	Best		
Benzyl Alcohol	Do Not Use	Good	[n/r]	Best		
Benzyl Benzoate	Do Not Use	Good	[n/r]	Best		
Benzyl Chloride	Do Not Use	Do Not Use	[n/r]	Best		
Bio-Circle L	[n/r]	Best	Best	[n/r]		
Biodiesel	Do Not Use	Do Not Use	Do Not Use	Best		also: B5, B10, B20, B50, B95, B100
BIOPREP	Do Not Use	Do Not Use	Do Not Use	Best		
Black Dye #D1972 (French Color)	[n/r]	[n/r]	[n/r]	Best		
Black Sulphate Liquors	Best	Best	[n/r]	Best		
BLAZER	Best	[n/r]	[n/r]	[n/r]		
BLOCKER 4F	Do Not Use	Do Not Use	[n/r]	Best		
BLUE DRESSING	[n/r]	[n/r]	[n/r]	Best		
Blue Dye #D878 (French Color)	[n/r]	[n/r]	[n/r]	Best		
Borax (Sodium Borate)	Good	Best	Best	Best		
Bordeaux Mixture (Copper Sulfate Salt)	Best	Best	[n/r]	Best		
Boric Acid	Best	Best	Best	Best		
Boron Fluids	Best	[n/r]	[n/r]	Best		
Brake Fluid (non petroleum)	Do Not Use	Best	[n/r]	Caution		Test
Brakleen	[n/r]	[n/r]	[n/r]	[n/r]		need to test with customer
Brine	Best	Best	[n/r]	Best		Test
BRODAL	Best	[n/r]	[n/r]	[n/r]		
Bromine	Caution	Good	[n/r]	Best		
Bromine- Water	Do Not Use	Do Not Use	[n/r]	Best		

Bromobenzene	Do Not Use	Do Not Use	[n/r]	Best		
Bromochloro Trifluoroethane	[n/r]	[n/r]	[n/r]	Best		
Brown Dye #D883 (French Color)	[n/r]	[n/r]	[n/r]	Best		
Bruhin 850	Do Not Use	Do Not Use	Do Not Use	Best		
Bruhin 1375	[n/r]	[n/r]	[n/r]	Best		
Bruhin MP 1793	Good	Do Not Use	Do Not Use	Best		
BRYTOFA	Best	[n/r]	[n/r]	[n/r]		
BUCTRIL 200	[n/r]	[n/r]	[n/r]	Best		
BUCTRIL MA	[n/r]	[n/r]	[n/r]	Best		
BUENA 6	Do Not Use	Do Not Use	[n/r]	Best		
BUGMASTER FLO	Best	[n/r]	[n/r]	[n/r]		
BULLDOCK 8 UL	[n/r]	[n/r]	[n/r]	Best		
BULLDOCK 25 EC	[n/r]	[n/r]	[n/r]	Best		Test
Bunker Oil	Best	Do Not Use	Do Not Use	Best		
Butadiene	Good	Do Not Use	Do Not Use	Best		
Butane (LPG)	Best	Good	Best	Do Not Use		
Butanol	Good	Best	Good	Good		
Butter	Best	Best	[n/r]	Best		
Butyl Acetate	Do Not Use	Best	Best	Do Not Use		
Butyl Acetyl Rincinoleate	[n/r]	Caution	[n/r]	Best		
Butyl Alcohol	Good	Best	[n/r]	Good		
Butyl Amine	Best	Do Not Use	[n/r]	Best		
Butyl Carbitol	Best	Best	[n/r]	Best		
Butyl Cellosolve	Do Not Use	Best	[n/r]	Do Not Use		
Butyl Cellosolve Adipate	Caution	Best	[n/r]	Caution		Test/Wash
Butyl Oleate	Good	Caution	[n/r]	Best		Wash
Butyl Stearate	Good	Caution	[n/r]	Best		
Butylene	Best	Do Not Use	Do Not Use	Best		
Butyraldehyde	Caution	Caution	[n/r]	Caution		
Butyric Acid	Do Not Use	Best	Best	Best		

BVA 2	Do Not Use	Do Not Use	Do Not Use	Best		mossquito control
Bytyl Acrylate	Do Not Use	Best	Do Not Use	Do Not Use		
Calcine Liquors	Good	Best	[n/r]	[n/r]		
Calcium Acetate	Best	Best	[n/r]	Best		
Calcium Bisulfide	Best	Do Not Use	[n/r]	Best		
Calcium Carbonate (Chalk)	Best	Best	[n/r]	Best		
Calcium Chloride (Brine)	Best	Best	Best	Best		
Calcium Cyanide	Best	[n/r]	[n/r]	[n/r]		
Calcium Hydroxide	Best	Best	Best	Best		
Calcium Hypochlorite	Caution	Good	Best	Best		
Calcium Nitrate	Best	Best	[n/r]	Best		
Calcium Phosphate	Best	[n/r]	[n/r]	[n/r]		
Calcium Salts	Best	[n/r]	[n/r]	[n/r]		
Calcium Silicate	Best	[n/r]	[n/r]	[n/r]		
Calcium Sulfide	Best	Best	[n/r]	Best		
Calcium Sulphite	Best	[n/r]	[n/r]	[n/r]		
Calcium Thiosulphate	[n/r]	Best	[n/r]	[n/r]		
Calibration Fluid	Do Not Use	Do Not Use	Do Not Use	Best		
CALIBRATION FLUID 4113	Best	[n/r]	[n/r]	[n/r]		
Cane Sugar Liquors	Best	Best	[n/r]	Best		
Caprioc Aldehyde	[n/r]	Good	[n/r]	[n/r]		Wash
Car Brite White Lightning Acid Based Wheel Cleaner	[n/r]	[n/r]	[n/r]	Best		
Carbamate	Caution	Caution	[n/r]	Best		
Carbitol	Best	Best	[n/r]	Best		Wash
Carbolic Acid	Caution	Good	[n/r]	Best		
Carbon Bisulfide	Caution	Caution	[n/r]	Best		Test
Carbon Dioxide	Best	Do Not Use	Do Not Use	Best		

Carbon Disulphide	Caution	Do Not Use	Do Not Use	Best		Test
Carbon Monoxide	Best	Best	Best	Best		
Carbon Tetrachloride	Caution	Do Not Use	Do Not Use	Good		Test
Carbonic Acid	Best	Best	[n/r]	Best		
CASCADE PLUS DEEPER ROOTS	Do Not Use	Best	[n/r]	Do Not Use		
Castor Oil	Best	Best	Good	Best		
Castrol Kleen 3212	[n/r]	Best	Best	[n/r]		
Catalyst 23Lv	Caution	Best	Best	Good		use tygon 2075 tubing
Catalyst 309 HAPS ree	Do Not Use	Best	Best	Best		
Caustic Potash	Do Not Use	Best	Best	Do Not Use		
Caustic Potash Lye	Do Not Use	Best	Good	Do Not Use		
Caustic Soda Liquid, Sodium Hydroxide	Good	Best	Best	[n/r]		
Caustic Soda Up to 40%	Do Not Use	Best	Good	Do Not Use		
Caustic Soda up to 60%	Do Not Use	Best	Good	Do Not Use		
Cellosolve	Caution	Good	[n/r]	Caution		
Cellosolve Acetate	Do Not Use	Good	[n/r]	Best		
Cellosolve Butyl	[n/r]	Best	[n/r]	[n/r]		
Celluguard	[n/r]	Best	[n/r]	[n/r]		
Centron Diesel Fuel Saver	Do Not Use	Do Not Use	Do Not Use	Best		
Cetane	Best	[n/r]	[n/r]	[n/r]		
Chevron Hydraulic Oil AW	Best	[n/r]	[n/r]	[n/r]		
Chevron Rando HD Premium Oil MV	Best	[n/r]	[n/r]	[n/r]		

Chevron Super Plus 15W-40 Motor Oil	Best	[n/r]	[n/r]	[n/r]		
China Wood Oil	Best	[n/r]	[n/r]	[n/r]		
CHIPCO 26GT	Do Not Use	Do Not Use	[n/r]	Best		
CHLORDANE	[n/r]	[n/r]	[n/r]	Best		
Chlorextol	[n/r]	[n/r]	[n/r]	Best		
CHLORFOS	[n/r]	[n/r]	[n/r]	[n/r]		
Chlorinated Salt Brine	[n/r]	[n/r]	[n/r]	Best		
Chlorinated Solvents	Do Not Use	Do Not Use	[n/r]	Good		
Chlorine	Caution	Caution	Caution	Good		
Chlorine (Wet)	Caution	Caution	Caution	Best		
Chlorine Dioxide	Do Not Use	Caution	[n/r]	Do Not Use		
Chloroacetone	Do Not Use	Best	Best	Do Not Use		
Chlorobenzene (Mono)	Do Not Use	Do Not Use	Do Not Use	Best		Test
Chlorobromo-Methane	Caution	Good	[n/r]	Do Not Use		Test
Chlorobutadiene	Do Not Use	Do Not Use	[n/r]	Best		Test
Chlorododecane	Do Not Use	Caution	[n/r]	Best		Test
Chloroform	Do Not Use	Do Not Use	Do Not Use	Best		
Chlorotoluene	Do Not Use	Caution	[n/r]	Best		Test
Chrome Alum	Best	Best	Best	Best		
Chrome Plating Solutions	Best	Caution	[n/r]	Best		
Chromic Acid 5%	Do Not Use	Best	[n/r]	Best		
Chromic Oxide.88 WT.%,aqueous	Best	[n/r]	[n/r]	[n/r]		
CIMPERIAL 1070 (Millicron)	Best	Do Not Use	Do Not Use	Best		
CIMSTAR 3890 (Milacron)	Best	Do Not Use	Do Not Use	Best		
CIMTECH 95 (Millicron)	Best	Do Not Use	Do Not Use	Best		

CIP 100	Do Not Use	Best	Caution	Do Not Use		
CIP 200	[n/r]	[n/r]	[n/r]	Best		
Citric Acid	Best	Best	Best	Best		
Citrus Foggers, MGK	Do Not Use	Do Not Use	Do Not Use	Best		
CITRUS SOLVENT	Do Not Use	Do Not Use	Do Not Use	Best		
CLAY CUTTER	Best	Best	Best	Best		
CLEARYS 3336	Do Not Use	Do Not Use	[n/r]	Best		
Cobalt Chloride	Best	Caution	[n/r]	Best		
Coconut Oil	Best	Good	[n/r]	Best		
Cod Liver Oil	Best	Best	[n/r]	Best		
Coffee	Best	Best	[n/r]	Best		
Coliche Liquors	Good	Best	[n/r]	Caution		
CONDUITE 90	Do Not Use	Best	[n/r]	Do Not Use		
CONFRONT	Do Not Use	Do Not Use	[n/r]	Best		
COOL POWER	Do Not Use	Do Not Use	[n/r]	Best		
COOLANOL	Best	[n/r]	[n/r]	[n/r]		
Copper Acetate	Good	Best	[n/r]	[n/r]		
Copper Chloride	Best	Best	Best	Best		
Copper Cyanide	Best	Best	[n/r]	Best		
Copper Salts	Best	[n/r]	[n/r]	[n/r]		
Copper Sulfate 5% Solution	Best	Best	Best	Best		
Cor Jewelry Cleaner	Caution	Do Not Use	Do Not Use	Best		
Corn Oil	Best	Good	[n/r]	Best		
CORRECT 100 EC	[n/r]	Best	[n/r]	[n/r]		
Cottonseed Oil	Best	Best	Good	Best		
Creosote, Coal Tar	Best	Do Not Use	[n/r]	Best		
Cresol	Do Not Use	Do Not Use	[n/r]	Best		
Cresylic Acid	Do Not Use	Do Not Use	[n/r]	Best		Test
Crude Oil	Good	Do Not Use	[n/r]	Best		
CS-R	Best	Best	Best	Best		
Cumene	[n/r]	Do Not Use	[n/r]	Best		
Cutek Extreme	Best	[n/r]	[n/r]	[n/r]		
Cutek Green	Best	[n/r]	[n/r]	Best		
Cutting Oil	Best	[n/r]	[n/r]	Best		

CX-590CU (Milicron)	Best	Do Not Use	Do Not Use	Best		
Cyclohexane	Good	Do Not Use	Do Not Use	Best		
Cyclohexanol	Caution	Good	[n/r]	Best		Test
Cyclohexanone	Do Not Use	Caution	Caution	Do Not Use	Fluid path of PP is not compatible with this liquid.	may need o-ring maintenance kt
Cyclomethicone	[n/r]	[n/r]	Good	[n/r]		Test/Wash
D101	[n/r]	Best	[n/r]	[n/r]		
D105	[n/r]	Best	[n/r]	[n/r]		
D108	[n/r]	Best	[n/r]	[n/r]		
D111	[n/r]	Best	[n/r]	[n/r]		
D120	Best	[n/r]	[n/r]	[n/r]		
D140	Best	[n/r]	[n/r]	[n/r]		
D155	[n/r]	Best	[n/r]	[n/r]		
D160	[n/r]	[n/r]	[n/r]	Best		
D Limonene	[n/r]	[n/r]	[n/r]	Best		
Dawn Ultra	Best	Caution	Caution	Best		
De-icing Fluid	Best	Best	Best	Best		
Decalin (Deklin)	Do Not Use	Do Not Use	[n/r]	Best		
Decane	Do Not Use	Do Not Use	[n/r]	Best		
DEF	[n/r]	Best	[n/r]	[n/r]		Must be specially made as greaseless; Meets PEI ISO standards
Demeton-S-Methyl	[n/r]	[n/r]	[n/r]	Best		
Denatured Alcohol	Best	Best	[n/r]	Best		
Destroyer 115	Do Not Use	Best	Best	Do Not Use		
DESTROYER Series (JJ Chem)	Caution	Do Not Use	Do Not Use	Best		
DESTROYER SX SERIES	[n/r]	[n/r]	[n/r]	Best		
DETER	[n/r]	[n/r]	[n/r]	Best		
Detergents	Best	Best	[n/r]	Best		
Developing Fluids (photo)	Best	Best	[n/r]	Best		
Dextron	Best	[n/r]	[n/r]	[n/r]		
Di-ester Synthetic Lubricants	[n/r]	[n/r]	[n/r]	Best		
Diacetone	Best	Good	[n/r]	Do Not Use		Test

Diacetone Alcohol	Do Not Use	Best	[n/r]	Do Not Use		
DIAZINON 800	[n/r]	[n/r]	[n/r]	Best		
Dibasic Ester	Do Not Use	Do Not Use	Do Not Use	Best		
Dibenzyl Ether	Do Not Use	Caution	[n/r]	Good		Wash
Dibenzyl Sebacate	Caution	Caution	[n/r]	Good		Wash
Dibromomethyl Benzene	[n/r]	[n/r]	[n/r]	Best		
Dibutyl Phthalate	Do Not Use	Best	Best	Good		Wash
Dibutyl Sebacate	Do Not Use	Good	[n/r]	Caution		Wash
Dichloro Butane	[n/r]	[n/r]	[n/r]	Best		
Dichloroacetic Acid	Good	Good	Good	Good		
Dichlorobenzene	Do Not Use	Do Not Use	[n/r]	Good		
Dichloromethane	Caution	Caution	[n/r]	Caution		Test
Diesel Exhaust Fluid	[n/r]	Good	[n/r]	Do Not Use		Meets PEI ISO standards ; clean tap of grease before use, use approved hosing to meeting PEI Standards
Diesel Fuel	Good	Do Not Use	Do Not Use	Best		
Diethyl Sebacate	Do Not Use	Caution	Caution	Good		Test/Wash
Diethylamine	Do Not Use	Best	[n/r]	Do Not Use		Wash
Diethylene Glycol	Best	Best	[n/r]	Best		
Diethylene Glycol Monoethyl Ethe Enthone	Do Not Use	Caution	Good	Do Not Use		Put on maintenance program with O rings
Difluorodibromomethane	[n/r]	Good	[n/r]	[n/r]		Wash
Diisobutyl Ketone	Good	Do Not Use	[n/r]	Do Not Use		
Diisobutylene	Best	Do Not Use	[n/r]	Best		
Diisooctyl Sebacate	[n/r]	[n/r]	[n/r]	Good		Wash
Diisopropanolamine	[n/r]	Good	[n/r]	[n/r]		Wash
Diisopropyl Ketone	Do Not Use	Best	[n/r]	Do Not Use		
Diisopropylamine	[n/r]	Best	[n/r]	[n/r]		

DIMENSION EC	Do Not Use	Do Not Use	Do Not Use	Best		
DIMENSION EW	Do Not Use	Do Not Use	Do Not Use	Best		
Dimethicone	[n/r]	[n/r]	Good	[n/r]		
Dimethyl Formamide	Do Not Use	Good	Best	Do Not Use		
Dimethyl Phthalate	Do Not Use	Good	[n/r]	Good		Wash
Dimethylformamide	[n/r]	[n/r]	Best	[n/r]		
Dimethylisopropylamine	[n/r]	Best	[n/r]	[n/r]		
Diocyle Phthalate	Good	Best	Good	Best		Wash
Diocyle Sebacate	Do Not Use	Caution	[n/r]	Caution		Wash
Dipentene	Good	Caution	[n/r]	Best		
Diphenyl	Do Not Use	Do Not Use	[n/r]	Best		
Diphenyl Oxide	Do Not Use	Do Not Use	[n/r]	Best		Test
DIPTEREX 500 SL	[n/r]	Best	[n/r]	[n/r]		
DISSOLVE	Do Not Use	Do Not Use	[n/r]	Best		
Distilled Water	Best	Best	Best	Best		
DIURON FLOWABLE	Best	[n/r]	[n/r]	[n/r]		
DODINE FLOWABLE	Best	[n/r]	[n/r]	[n/r]		
Dormex	[n/r]	[n/r]	[n/r]	Best		
DOT Brake Fluid	Best	Best	Best	Best		
Dow Corning Silane	Good	Best	Best	Caution		
Dow Corning® 365, 35% Dimethicone NF Emulsion	Caution	Best	[n/r]	Best		
DPG	Best	Best	Best	Best		
DRAGNET	Do Not Use	Do Not Use	Do Not Use	Best		
DREWPLUS L-768 FOAM CONTROL AGENT	Do Not Use	Best	Best	Best		may need single siphon tube due to viscosity
DRILL TERGE	[n/r]	Good	[n/r]	[n/r]		
DRIVE 75DE	Do Not Use	Do Not Use	[n/r]	Best		

Dry Cleaning Fluid	Best	Good	Best	Good		*
Dry Cleaning Fluids	Caution	Caution	[n/r]	Best		*
DTE Light oil	Best	[n/r]	[n/r]	[n/r]		
Dynasolve CU-9	[n/r]	Best	Best	[n/r]		Do not use with PVC hose
EA810	Good	Do Not Use	Do Not Use	Best		
EA854	Best	Best	Best	Best		
EASISOLV 120	Do Not Use	Best	Best	Do Not Use		Msy need to change tap o-rings regularly
EASISOLV 701	Do Not Use	Best	Best	Do Not Use		May need to change tap o-rings from time to time
Eastman EB Acetate	Do Not Use	Best	Good	Do Not Use		
Emersol 221	Do Not Use	Do Not Use	Do Not Use	Best		
Encor 379G	Good	Best	Best	Good		
ENDOSULFAN	[n/r]	[n/r]	[n/r]	Best		
ENDOSULFAN ULV	[n/r]	[n/r]	[n/r]	Best		
Engine Oil	Best	Good	Good	Do Not Use		
ENVIRONALL	Caution	Caution	[n/r]	Best		
ENVOY	Do Not Use	Do Not Use	[n/r]	Best		
Epoxy Resins	[n/r]	Best	[n/r]	[n/r]		
ESI-CRYL 11	Best	[n/r]	[n/r]	[n/r]		
Ethane	Best	Do Not Use	[n/r]	Best		
Ethanol	Best	Best	Best	Best		
Ethanol 95%	Best	Best	Good	Best		Use PVC Hose
Ethanolamine	Best	Best	[n/r]	Do Not Use		Test
ETHREL	Good	[n/r]	[n/r]	[n/r]		Wash
Ethyl Acetate	Do Not Use	Good	Best	Do Not Use		All pumps BAD, need nylon housing
Ethyl Acetoacetate	Do Not Use	Best	[n/r]	Do Not Use		Wash
Ethyl Acrylate	Do Not Use	Good	[n/r]	Do Not Use		Wash
Ethyl Alcohol	[n/r]	Best	Best	Best		Use PVC Hose
Ethyl Benzene	Caution	Do Not Use	Do Not Use	Best		Test
Ethyl Benzoate	Caution	Caution	[n/r]	Best		
Ethyl Bromide	[n/r]	[n/r]	[n/r]	Best		
Ethyl Cellosolve	Good	Good	[n/r]	Do Not Use		

Ethyl Cellulose	Good	Good	[n/r]	Best		Wash
Ethyl Chloride	Good	Best	Good	Best		
Ethyl Chlorocarbonate	[n/r]	[n/r]	[n/r]	Best		
Ethyl Chloroformate	Do Not Use	Good	[n/r]	Do Not Use		Test/Wash
Ethyl Cyclopentane	Best	[n/r]	[n/r]	[n/r]		
ethyl ether	Best	[n/r]	[n/r]	[n/r]		
Ethyl Formate	Do Not Use	Caution	[n/r]	Best		
Ethyl Lactate 100%	Do Not Use	Best	Best	Do Not Use		Remote tap should use Tygon 2075 tubing
Ethyl Oxalate	Do Not Use	Best	[n/r]	Do Not Use		
Ethyl Pentochlorobenzene	Caution	Caution	[n/r]	Best		Test
Ethyl Silicate	Best	Best	[n/r]	Best		
Ethylacrylic Acid	[n/r]	Good	[n/r]	[n/r]		Wash
Ethylene Chloride	Do Not Use	Do Not Use	Do Not Use	Best		Wash
Ethylene Chlorohydrin	Do Not Use	Best	Best	Do Not Use		
Ethylene Diamine	Best	Best	[n/r]	Do Not Use		
Ethylene Dibromide	[n/r]	[n/r]	[n/r]	Best		Test
Ethylene Dichloride	Do Not Use	Do Not Use	Do Not Use	Best		
Ethylene Glycol	Best	Best	Best	Best		
Ethylene Glycol Industrial Grade	Best	[n/r]	[n/r]	[n/r]		
Ethylene Oxide, Liquid	Do Not Use	Best	Best	Best		
Ethylmorpholine Stannous	[n/r]	Best	[n/r]	[n/r]		
Evergreen Crop Protection	Do Not Use	Do Not Use	Do Not Use	Best		
EVERPRO LIQUID (JJ Chem)	Caution	Do Not Use	Do Not Use	Best		
Fatty Acids	Best	Do Not Use	Do Not Use	Best		
Fenamiphos	[n/r]	[n/r]	[n/r]	Best		

Ferric Chloride	Best	Best	Best	Best		
Ferric Nitrate	Best	Best	[n/r]	Best		
FerromecAc 15-0-0	Best	Do Not Use	Do Not Use	Best		
FLUOMETURON FLOWABLE	Best	[n/r]	[n/r]	[n/r]		
Fluorinert	Do Not Use	Do Not Use	Do Not Use	Best		use PTFE lined hosing with Remote Tap
Fluorolube	Good	Best	[n/r]	Good		
FOLICUR 250 EC	[n/r]	Best	[n/r]	[n/r]		
FOLICUR 250 EW	Best	[n/r]	[n/r]	[n/r]		
FOLICUR 430 SC	Best	[n/r]	[n/r]	[n/r]		
FOLIDOL M500	[n/r]	[n/r]	[n/r]	Best		
FOLIMAT 800	[n/r]	Best	[n/r]	[n/r]		
Formaldehyde - 40%				Best		
Formaldehyde - 100%	Do Not Use	Do Not Use	Do Not Use	Do Not Use	Supposedly ruins the polypropylene	
Formalin	Caution	Good	[n/r]	Best	This is also known as 40% formaldehyde in water	
Formic Acid	Do Not Use	[n/r]	Do Not Use	Best		
FORMULA 517	Best	[n/r]	[n/r]	[n/r]		
FORMULA 520	Best	[n/r]	[n/r]	[n/r]		
FORMULA 537	[n/r]	[n/r]	[n/r]	Best		
FORMULA 538	Best	[n/r]	[n/r]	[n/r]		
FORMULA 540	[n/r]	Best	[n/r]	[n/r]		
FORMULA 560	[n/r]	Best	[n/r]	[n/r]		
FORMULA 570	[n/r]	Best	[n/r]	[n/r]		
FORMULA 575	[n/r]	[n/r]	[n/r]	Best		
FORMULIN	Do Not Use	Caution	Caution	Best		
Frekote Aqualine R-110	Best	Best	Best	Best		
FREMONT 419	[n/r]	[n/r]	[n/r]	Best		
French Color Blue Dye, D878	Do Not Use	[n/r]	[n/r]	Best		

French Color Red Dye D 858	Caution	[n/r]	[n/r]	Best		
FRESHWATER XT (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
FS FORMULA 4089	Do Not Use	Good	Good	Do Not Use		Monthly O-Ring Change required
FS FORMULA 10184	Good	Best	Best	[n/r]		
FUEL DOCTOR	[n/r]	[n/r]	[n/r]	Best		
Fuel Oil	Best	Do Not Use	[n/r]	Best		
Fumaric Acid	Good	[n/r]	[n/r]	Best		
Furfural	Do Not Use	Best	[n/r]	Good		Test
Furfural Alcohol	Do Not Use	Caution	[n/r]	Best		
Furfuraldehyde	[n/r]	Best	[n/r]	[n/r]		
Furylcarbinol	[n/r]	Best	[n/r]	[n/r]		
FWY-ISP LIQUID INJECTABLE SOIL PENETRANT	Do Not Use	Best	[n/r]	Do Not Use		
Gallic Acid	Best	Best	[n/r]	Best		
GARLON	Do Not Use	Do Not Use	[n/r]	Best		
Gasoline Leaded	Good	Caution	Do Not Use	Best		
Gelatin	Best	Best	[n/r]	Best		
Glacial Acetic Acid	Do Not Use	Do Not Use	[n/r]	Good		Wash
Glaubers Salt	[n/r]	[n/r]	[n/r]	Best		
Glucose	Best	Best	Best	Best		
Gluearaldehyde	Do Not Use	Best	Do Not Use	Do Not Use		
Glycerin	Best	Best	Best	Best		
Glycol Ether	[n/r]	[n/r]	[n/r]	Best		
Glycol Ethet EB	Do Not Use	Best	Good	Do Not Use		AKA Butyl Cellosolve
Glycols	Best	Best	Best	Best		
GLYFOS AQUATIC	Do Not Use	Do Not Use	[n/r]	Best		
GLYFOS X-TRA	Do Not Use	Do Not Use	[n/r]	Best		
GLYPHOS	Do Not Use	Do Not Use	[n/r]	Best		
GLYPHOS PRO	Do Not Use	Do Not Use	[n/r]	Best		
Glyosphate	Do Not Use	Do Not Use	Do Not Use	Best		
GOAL 2XL	Do Not Use	Do Not Use	[n/r]	Best		

GOLDEN BEAR 1111	Do Not Use	Do Not Use	Do Not Use	Best		Use gasoline grade hose for remote tap
GP Solvent Blend	Do Not Use	Good	Good	Do Not Use		
GRAMOXONE	Do Not Use	Good	Do Not Use	Do Not Use		Syngenta
Green Clean Liquid Algaecide	Do Not Use	Caution	Caution	Best		
GREEN SENSE FRAGRANCE	[n/r]	[n/r]	[n/r]	Best		
Green Sulfate Liquor	Best	Best	[n/r]	Best		
GREENSHIELD	[n/r]	Do Not Use	Do Not Use	Best		Use with Tygon 2075 for Remote Discharge Nozzle
GREENSHIELD CA	Do Not Use	Do Not Use	[n/r]	Best		
GROTAN	Do Not Use	Caution	Caution	Best		
Gun Wash (Dupont Canada)	[n/r]	Best	Best	[n/r]		Needs black tap body configuration
GUSATHION 200 SC	Best	[n/r]	[n/r]	[n/r]		
GUSATHION A LIQUID	[n/r]	[n/r]	[n/r]	Best		
GX Clean 5502	Do Not Use	Best	Do Not Use	Do Not Use		
Halothane	[n/r]	[n/r]	[n/r]	Best		
Halowax Oil	Caution	Caution	[n/r]	Best		
Harima Binder	Caution	Good	Good	Do Not Use		
Heavy Water	Best	[n/r]	[n/r]	[n/r]		
HELOTHION EC	[n/r]	[n/r]	[n/r]	Best		
heptane	Caution	Do Not Use	Do Not Use	Best		
Hexane	Caution	Do Not Use	Do Not Use	Best		
Hexyl Alcohol	Best	Good	[n/r]	Best		
HFE Fluids Azeotropes [3M/Novec]	[n/r]	[n/r]	[n/r]	Best		See also specific fluids
HFE-71DA	[n/r]	[n/r]	[n/r]	Best		
HFE-71DE	[n/r]	[n/r]	[n/r]	Best		
HFE-71IPA	[n/r]	[n/r]	[n/r]	Best		

HFE-72DA	[n/r]	[n/r]	[n/r]	Best		
HFE-72DE	[n/r]	[n/r]	[n/r]	Best		
HFE-7000	[n/r]	Best	[n/r]	[n/r]		
HFE-7100	[n/r]	Best	[n/r]	[n/r]		
HFE-7200	[n/r]	Best	[n/r]	[n/r]		
HFE-7300	[n/r]	Best	[n/r]	[n/r]		
HFE-7500	[n/r]	Best	[n/r]	[n/r]		
HFE-7600	[n/r]	Best	[n/r]	[n/r]		
HFE-7800	[n/r]	Best	[n/r]	[n/r]		
Histo-Clear HS-200	[n/r]	[n/r]	[n/r]	Best		Requires a black tap configuration
HOME RUN (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
HONCHO	Do Not Use	Do Not Use	[n/r]	Best		
HOTRICULTURAL OIL	Best	Do Not Use	[n/r]	Do Not Use		
Humates	Best	Best	Best	Best		
HV 490 Emulsion, Silicone Emulsion	Best	[n/r]	[n/r]	[n/r]		
Hydraulic Fluid	Best	Good	Good	Do Not Use		
Hydraulic Oils (Petroleum)	Best	Do Not Use	[n/r]	Best		Test
Hydrazine	Best	Best	Best	Best		
Hydrobromic Acid	Do Not Use	Best	Best	Best		
Hydrochloric Acid 37%	Do Not Use	Do Not Use	Do Not Use	Do Not Use		WAIT FOR THE NEW HASTELLOY PUMP. DO NOT PURCHASE YET
Hydrochloric Acid (5- 20%)	Do Not Use	Do Not Use	Do Not Use	Caution		WAIT FOR THE NEW HASTELLOY PUMP. DO NOT PURCHASE YET
Hydrochloric Acid (25- 30%)	Do Not Use	Do Not Use	Do Not Use	Do Not Use		do not use unless rinsed between uses; will last less than 1 year
Hydrochloric Acid (35%)	Do Not Use	Do Not Use	Do Not Use	Do Not Use		WAIT FOR THE NEW HASTELLOY PUMP. DO NOT PURCHASE YET
Hydrochloric Acid, 38%	Do Not Use	Do Not Use	Do Not Use	Do Not Use		do not use unless rinsed between uses; will last less than 1 year
Hydrocyanic Acid	Good	Good	Best	Good		
hydrofluoric acid	[n/r]	[n/r]	[n/r]	Best		USE ONLY WITH SPECIAL HASTELLOY PUMP; CALL FOR DETAILS
hydrofluoric acid 20% - 75%	Do Not Use	Do Not Use	Do Not Use	Best		USE ONLY WITH SPECIAL HASTELLOY PUMP; CALL FOR DETAILS required Tygon 2075 tubing for remote tap up to 48% by weight

Hydrofluosilicic Acid	Do Not Use	Do Not Use	[n/r]	Best		
Hydrogen Peroxide 35%	Do Not Use	Do Not Use	Do Not Use	Best		
Hydrogen Peroxide 90%	Do Not Use	Do Not Use	Do Not Use	Best		
Hydrogen Sulfide (Wet) (Cold)	Good	Best	Best	Best		
Hydrogen Sulfide (Wet) (Hot)	Caution	Best	[n/r]	Good		
Hydroquinone	Best	Best	[n/r]	Best		Wash
Hypochlorous Acid 10%	Caution	Good	[n/r]	Good		
Hypophosphorous Acid	Best	Best	Best	Best		
HYVAR	Do Not Use	Do Not Use	[n/r]	Best		
I.D. Red (ZEP)	[n/r]	[n/r]	[n/r]	Best		Use Gas/Oil tubing
IM7417	Do Not Use	Good	Good	Do Not Use		Put on maintenance program with tap o-rings
INTRICUT 217	Good	Do Not Use	Do Not Use	Best		
Iodine (in Alcohol)	Good	Caution	[n/r]	Best		
IONOX I3302	Do Not Use	Best	Good	Do Not Use		might need regular change of tap o-rings
IRON MAX 6% 15-0-0	Best	Do Not Use	[n/r]	Best		
Isobutyl Alcohol	Good	Best	[n/r]	Best		
Isobutyl-n-Butyrate	[n/r]	Best	[n/r]	[n/r]		
Isododecane	Best	[n/r]	[n/r]	[n/r]		
Isooctane	Best	Do Not Use	Do Not Use	Best		
Isopropanol /IPA/ Isopropyl Alcohol, up to 70%	Best	Best	Best	Best	Flammable Liquid, use with SCP Pump	
Isopropyl Acetate	Do Not Use	Good	[n/r]	Do Not Use		Wash
Isopropyl Alcohol, IPA 99%	Do Not Use	Do Not Use	Do Not Use	Good	Flammable Liquid, use with SCP Pump	June 2013: currently testing with a customer and Viton Pump and 2375 hosing
Isopropyl Amine	[n/r]	Good	[n/r]	[n/r]		Wash

Isopropyl Chloride	Good	Do Not Use	[n/r]	Best		
Isopropyl Ether	Best	Caution	Good	Caution		Wash
Isopropyl myristate 98%	[n/r]	[n/r]	Good	[n/r]		
Isothiozol	Do Not Use	Do Not Use	Do Not Use	Best		
J Spray (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
J-SPRAY	[n/r]	Best	[n/r]	Best		
KALIGREEN	Best	Best	[n/r]	Best		
Kathone CG/ICP Preservative	Do Not Use	Do Not Use	Do Not Use	Best		
KELTHANE	[n/r]	[n/r]	[n/r]	Best		
Kerosene	Best	Do Not Use	Do Not Use	Best		Test
KILVAL	[n/r]	[n/r]	[n/r]	Best		
Kleen Grow	[n/r]	[n/r]	[n/r]	Best		
KOCIDE	Do Not Use	Do Not Use	[n/r]	Best		
KONTROL 2%	Do Not Use	Caution	Do Not Use	Best		
KONTROL 4%	Do Not Use	Do Not Use	Do Not Use	Best		
KONTROL 30%	Do Not Use	Do Not Use	Do Not Use	Best		
Kordek 50C	Do Not Use	Do Not Use	Do Not Use	Best		
Kordex MLX	[n/r]	Best	[n/r]	[n/r]		
Kwik Dri Kwik Dri 66	[n/r]	[n/r]	[n/r]	Best		Use Gas/Oil tubing
Lacquer Thinnern - Sheboygan Paint	Do Not Use	Do Not Use	Do Not Use	Do Not Use		
Lactams- Amino Acids	[n/r]	Best	[n/r]	[n/r]		
Lactic Acid	Best	Best	Best	Best		
Lactones	[n/r]	Good	[n/r]	[n/r]		Wash
Lard	Best	Good	[n/r]	Best		
LARVIN 375	Best	[n/r]	[n/r]	[n/r]		
LARVIN LV	[n/r]	[n/r]	[n/r]	Best		
Latex Paint	Best	Best	Best	Best		use single siphon tube
Lavender Oil	Good	Do Not Use	[n/r]	Best		
LE - MAT	[n/r]	Best	[n/r]	[n/r]		
Lead Acetate	Best	Best	Best	Best		
Lead Nitrate	Best	Best	[n/r]	Best		

Lead Sulfamate	Good	Best	[n/r]	Best		
LEAFEX	Best	[n/r]	[n/r]	Best		
LEBAYCID	[n/r]	[n/r]	[n/r]	Best		
LEGUMEX	Best	[n/r]	[n/r]	[n/r]		
LENIUM ES	Do Not Use	Best	Best	Good		use FEP- 200SE tubing for tap - FEP lined
LFCF EN A Component	[n/r]	[n/r]	[n/r]	Best		Uses PVC hose -May need Silicone-Free
LFCF EN Replenisher	[n/r]	[n/r]	[n/r]	Best		Uses PVC hose -May need Silicone-Free
Light Grease	Best	[n/r]	[n/r]	[n/r]		
Lime Bleach	Best	Best	[n/r]	Best		
Lime Sulpur	Do Not Use	Best	[n/r]	Best		
Linoleic Acid	Good	Do Not Use	[n/r]	Best		
Linseed Oil	Good	Good	Good	Best		
LONTREL	Do Not Use	Do Not Use	[n/r]	Best		
Louis Econo Lacquer Thinner C189	Good	Best	[n/r]	[n/r]		
LowVoc SuperClean	Caution	Caution	Caution	Best		Use with Tygon 2075
Lubricating Oils (Petroleum)	Best	Do Not Use	Do Not Use	Best		
LUV	[n/r]	[n/r]	Best	[n/r]		
Lye	Good	Good	[n/r]	Good		
Macro-Sorb	Do Not Use	Do Not Use	Do Not Use	Best		
Magenta Dye #D1052 (French Color)	[n/r]	[n/r]	[n/r]	Best		
Magnesium Chloride	Best	Best	Best	Best		
Magnesium Hydroxide	Best	Best	Best	Best		
Magnesium Salts	Best	Best	Best	Best		
Magnesium Sulfate	Best	Best	Best	Best		
Magnesium Sulphite	Best	[n/r]	[n/r]	[n/r]		
MALATHION	Best	[n/r]	[n/r]	[n/r]		

MALATHOIN	Do Not Use	Do Not Use	[n/r]	Best		
MALDISON 500	[n/r]	[n/r]	[n/r]	Best		
Maleic Acid	Good	Best	[n/r]	Best		
Maleic Anhydride	Do Not Use	Do Not Use	[n/r]	Best		
Malic Acid	Best	Best	[n/r]	Best		
MANAGE	Do Not Use	Do Not Use	[n/r]	Best		
MARLIN	[n/r]	[n/r]	[n/r]	Best		
MASTELINE TRIPLET	Do Not Use	Do Not Use	[n/r]	Best		
Maxi Guard 700 Lance and Soak	Do Not Use	Do Not Use	Do Not Use	Best		PVC Hose is Fine
MC-1	[n/r]	Best	[n/r]	[n/r]		
MCPA	Best	Best	[n/r]	Best		
MCPA 375 SALT	Best	Best	[n/r]	Best		
MCPA LVE 500	Best	Best	[n/r]	Best		
MCPP	Do Not Use	Do Not Use	[n/r]	Best		
Mean Green	[n/r]	Best	[n/r]	[n/r]		May need O-Ring Maintenance Kit
MECOMECE 2.5	Do Not Use	Do Not Use	[n/r]	Best		
MECOMECE 4	Do Not Use	Do Not Use	[n/r]	Best		
MEHQ (Methyl Mtheacrylate)	Caution	Do Not Use	Do Not Use	Do Not Use		needs testing
Mercuric Chloride (Dilute Solu)	Best	Best	Best	Best		
Mesityl Oxide	Do Not Use	Good	[n/r]	Do Not Use		Wash
METALERJ #256	Do Not Use	Do Not Use	Do Not Use	Best		
METASYSTOX	[n/r]	[n/r]	[n/r]	Best		Wash
Metering Roller Wash	Best	Best	Caution	Do Not Use		
Methalacrylic Acid	[n/r]	Caution	[n/r]	Good		Wash
Methalated Spirits	[n/r]	Best	[n/r]	[n/r]		
Methamidos	[n/r]	Best	[n/r]	[n/r]		
Methane	Best	Best	[n/r]	Best		
Methanol	Do Not Use	Best	Best	Caution		may require tap oring change once a month
Methyl Acetate	Do Not Use	Good	[n/r]	Do Not Use		Wash between uses; harsh on PP
Methyl Acrylate	Do Not Use	Good	[n/r]	Do Not Use		

Methyl Alcohol	Caution	Best	Best	Caution		
methyl amine	[n/r]	Good	[n/r]	Best		use SCP version
Methyl Bromide	Do Not Use	Good	Good	Best		Test
Methyl Butyl Ketone	Do Not Use	Best	Best	Do Not Use		
Methyl Cellosolve	Good	Do Not Use	[n/r]	Good		
Methyl Cellulose	Do Not Use	Good	[n/r]	Do Not Use		Wash
Methyl Chloride	Do Not Use	Good	Do Not Use	Do Not Use		Test
Methyl Chloroformate	[n/r]	[n/r]	[n/r]	Best		
Methyl Cyanide	[n/r]	Best	[n/r]	[n/r]		
Methyl D-Bromide	[n/r]	[n/r]	[n/r]	Best		
Methyl Dichloride	Do Not Use	Do Not Use	[n/r]	Good		Test
Methyl Ether	Good	Do Not Use	[n/r]	Do Not Use		
Methyl Ethyl Ketone (MEK)	Do Not Use	Good	Good	Do Not Use		change tap oring once a month/ use Tygon 200SE Hose for tap
Methyl Isopropyl Ketone	Do Not Use	Do Not Use	[n/r]	Do Not Use		
Methyl Mercaptan	[n/r]	Best	[n/r]	[n/r]		
Methyl Normal Propyl Ketone	Best	[n/r]	[n/r]	[n/r]		
Methyl Oleate	Do Not Use	Caution	[n/r]	Best		
Methyl Salicylate	Caution	Caution	Best	Good		
Methylacrylic Acid	[n/r]	Good	[n/r]	Good		Wash
Methylcyclopentane	Do Not Use	Do Not Use	[n/r]	Best		
Methylene Chloride	Do Not Use	Do Not Use	Do Not Use	Best		
Mictreat	Best	Best	Best	Best		also known as Tolcide P570A
Mil-G-832820	Best	Caution	Caution	Do Not Use		
Mild R362	Best	Do Not Use	Do Not Use	Good		
Milk	Best	Best	Best	Best		
Milk and Honey	Best	Best	Best	Best		
Millenium Clean	Do Not Use	Do Not Use	Best	Do Not Use		

MILLENIUM ULTRA	Do Not Use	Do Not Use	[n/r]	Best		
Mineral Oil	Best	Do Not Use	Do Not Use	Best		
mineral spirits	Do Not Use	Do Not Use	Do Not Use	Best		
MMF AGNIQUE	Do Not Use	Do Not Use	Do Not Use	Best		
Momentum	Do Not Use	Do Not Use	Do Not Use	Best		
Monobromobenzene	[n/r]	[n/r]	[n/r]	Best		Test
Monochlorobenzene	Do Not Use	Do Not Use	[n/r]	Best		Test
Monoethanolamine	Best	Best	[n/r]	Do Not Use		Test
Monoethylene	[n/r]	Best	[n/r]	[n/r]		
Monomethyl Aniline	Do Not Use	Do Not Use	[n/r]	Best		
Monovinyl Acetylene	Best	Best	[n/r]	Best		
MR-515-H	[n/r]	[n/r]	[n/r]	[n/r]		
MRW-2560D	Best	Do Not Use	Do Not Use	Good		Use FEP lined tubing for remote discharge nozzle
MS251 Laquer Thinner	[n/r]	[n/r]	Best	[n/r]		Requires FEP lined tubing
MS 251 Laquer Thinner	Do Not Use	Caution	Best	Good		May need to change tap o-ring regularly, Remote Tap requires Tygon 2075 tubing
N Butyl Acetate	[n/r]	[n/r]	[n/r]	[n/r]		no information
N-Beta-gamma-aminopropyltrimethoxysilane	Best	[n/r]	[n/r]	Best		
N-Butyl Acetate	[n/r]	Good	[n/r]	[n/r]		Wash
N-Butyl Benzoate	[n/r]	Best	[n/r]	[n/r]		
N-Butyl Butyrate	[n/r]	Best	[n/r]	[n/r]		
N-Methyl-2pyrrolidone	Do Not Use	Best	Best	Do Not Use		
N-Octane	Best	Caution	[n/r]	Best		
N-Pentane	Best	[n/r]	[n/r]	Best		
N-Propyl Acetone	[n/r]	Best	[n/r]	[n/r]		

n-Propyl Alcohol	Good	Best	[n/r]	Best		
n-Propyl Bromide	Do Not Use	Best	Best	Best		use Tygon 200SE tubing - FEP lined
N-SURE	Best	Best	Best	Best		
Nalco 71D5 Plus Antifoam	Good	Do Not Use	Do Not Use	Best		
Naptha	Caution	Do Not Use	Do Not Use	Best		
Napthalene	Do Not Use	Do Not Use	Do Not Use	Best		
Napthenic Acid	Good	Do Not Use	[n/r]	Best		
NAUTIQUE	Do Not Use	Do Not Use	[n/r]	Best		
NAXCAT MOD ACID	[n/r]	[n/r]	[n/r]	Best		
Neatsfoot Oil	Best	Caution	[n/r]	Best		
Nel-Sol	Caution	Do Not Use	Do Not Use	Best		Viton or 2375 Hose
NEMACUR 400 EC	[n/r]	[n/r]	[n/r]	Best		
Neon	Best	[n/r]	[n/r]	[n/r]		
Neutra Flux 373	[n/r]	[n/r]	[n/r]	[n/r]		
NEVADA ALL PURPOSE CI/DEGREASER	Best	[n/r]	[n/r]	[n/r]		
NEVADA BLUE DRESSING	[n/r]	[n/r]	[n/r]	Best		
NEVADA PINK SOAP	[n/r]	[n/r]	[n/r]	Best		
NEVADA RED DEGREASER	[n/r]	Best	[n/r]	[n/r]		
NEVADA YELLOW DEGREASER	[n/r]	Best	[n/r]	[n/r]		
Neville Acid	Caution	Caution	[n/r]	Best		
Nickel Acetate	Best	Best	[n/r]	Caution		
Nickel Chloride	Best	Best	[n/r]	Best		
Nickel Sulfate	Best	Best	Best	Best		
NITOFOL	[n/r]	Best	[n/r]	[n/r]		
Nitric Acid 5-10% Solution	Do Not Use	Best	Best	Best		
Nitric Acid 20-50% Solution	Do Not Use	Do Not Use	Do Not Use	Best		

Nitric Acid 60-70% Solution	Do Not Use	Do Not Use	Do Not Use	Best		Rinse thoroughly after use; remove from container when not in use.
Nitric Acid 70%+ Solution	Do Not Use	Do Not Use	Do Not Use	Do Not Use		Clean thoroughly between uses; remove from drum after use
NITRO-30 SNR 30-0-0	Best	Do Not Use	[n/r]	Best		
Nitrobenzene	Do Not Use	Good	Best	Best		
Nitromethane	Do Not Use	Good	[n/r]	Do Not Use		
No-Mow	Do Not Use	Do Not Use	Do Not Use	Best		
Nonylphenoxy Poly Ethanol	[n/r]	Best	[n/r]	[n/r]		
Novec HFE 71DA	Do Not Use	Do Not Use	Do Not Use	Best		may require stainless steel or nylon dip tube
Novec HFE 71DE	Do Not Use	Do Not Use	Do Not Use	Best		
Novec HFE 72DE	Do Not Use	Do Not Use	Do Not Use	Best		
Novec HFE 7600	[n/r]	Best	[n/r]	[n/r]		
Novec HFE 7800	[n/r]	Best	[n/r]	[n/r]		
Novec HFE-71DA	[n/r]	[n/r]	[n/r]	Best		
Novec HFE-71DE	[n/r]	[n/r]	[n/r]	Best		
Novec HFE-72DA	[n/r]	[n/r]	[n/r]	Best		
Novec HFE-7000	[n/r]	Best	[n/r]	[n/r]		
Novec HFE-7100	[n/r]	Best	[n/r]	[n/r]		
Novec HFE-7200	[n/r]	Best	[n/r]	[n/r]		
Novec HFE-7300	[n/r]	Best	[n/r]	[n/r]		
Novec HFE-7500	[n/r]	Best	[n/r]	[n/r]		
O-Chlorophenol	[n/r]	[n/r]	[n/r]	Best		
O-Dichlorobenzene	Best	Caution	[n/r]	Best		Test
Octachlorotoluene	Caution	Caution	[n/r]	Best		Test
Octadecane	Best	Caution	[n/r]	Best		
Octagon PD 680	Best	Do Not Use	Do Not Use	Best		
Octyl-Alcohol	Best	[n/r]	[n/r]	[n/r]		
OFTANOL TURF	[n/r]	[n/r]	[n/r]	Best		

Oleic Acid	Do Not Use	Do Not Use	Do Not Use	Best		
Olive Oil	Best	Good	[n/r]	Best		
OMALA OIL 220	Best	[n/r]	[n/r]	[n/r]		
Opticut	Best	Best	Best	Best		
Orange Power Plus	Good	[n/r]	[n/r]	Best		
Orange Power Supreme	Good	[n/r]	[n/r]	Best		
Original Krud Kutter	Best	Best	Best	Best		
Orthochloro Ethyl Benzene	[n/r]	[n/r]	[n/r]	Best		
Oxalic Acid (Cold)	Best	Best	Best	Best		
OXAMIN LO	Best	[n/r]	[n/r]	[n/r]		
OxiDate	Do Not Use	Caution	Caution	Best		In California, may require closed system
OxiDate Bactericide	Do Not Use	Caution	Caution	Best		In California, may require closed system - see our CCS-8605
OxiDate Fungicide	Do Not Use	Caution	Caution	Best		In California, may require closed system - see our CCS-8605
P-Cymene	[n/r]	[n/r]	[n/r]	Best		
P-Dichlorobenzene	[n/r]	[n/r]	[n/r]	Best		
P-Tertiary Butyl Catechol	[n/r]	Best	[n/r]	[n/r]		
Palmitic Acid	Best	Good	Best	Best		
PANOCTINE	Best	[n/r]	[n/r]	[n/r]		
Pantendiol	Do Not Use	Best	Do Not Use	Do Not Use		
Paraffin Oil	Best	[n/r]	[n/r]	Best		
Paraplex, Polyester Plasticizer	Best	Best	Best	Best		May be too thick for GT pumps
Paraquat	[n/r]	[n/r]	[n/r]	Do Not Use		
Parathion Ethyl Methyl	[n/r]	[n/r]	[n/r]	Best		
Peanut Oil	Best	Do Not Use	[n/r]	Best		
Penair Mil-C-85590	Do Not Use	Do Not Use	Do Not Use	Best		

Pendulum herbicide (pendimethalin)	[n/r]	Good	[n/r]	Best		
PENNANT MAGNUM	Do Not Use	Do Not Use	[n/r]	Best		
Penreco Consol C-200	[n/r]	[n/r]	[n/r]	Best		Need Gas/Oil Hose
Pentane 2 Methyl	Best	[n/r]	[n/r]	[n/r]		
Pentane 2-4 Dimethyl	Best	[n/r]	[n/r]	[n/r]		
Pentane 3 Methyl	Best	[n/r]	[n/r]	[n/r]		
Perchloric Acid 72%	Do Not Use	Good	Do Not Use	Best		Test
Perchloroethylene	Do Not Use	Do Not Use	Do Not Use	Best		
Peroxyacetic Acid	Do Not Use	Do Not Use	Do Not Use	Best		
Petroleum	Best	Best	Do Not Use	Best		
pH REDUCER CITRIC ACID SOLUTION	Best	Best	[n/r]	Best		
Phenol (Carbolic Acid)	Caution	Do Not Use	Do Not Use	Best		
PHENOL by Hydrol Concentrated	Do Not Use	Do Not Use	Do Not Use	Best		
Phenol Sulfonic Acid 65%	Best	Best	Best	Best		
Phenyl Hydrazine	Do Not Use	Good	[n/r]	Do Not Use		Test
Phenylbenzene	Do Not Use	Caution	[n/r]	Best		
Phorone	Caution	Caution	[n/r]	Best		
Phosphoric Acid 40-100% Solution	Do Not Use	Good	Caution	Best		
Phosphoric Acid (to 40% Solution)	Do Not Use	Good	Best	Best		
Phosphoric Acid Crude	Caution	Good	[n/r]	Best		
Phosphoric Acid-20%	Caution	Good	Best	Best		

Phosphoric Acid-45%	Best	Best	Best	Best		
Phosphorous Trichloride Acid	Caution	Best	Best	Best		Test
PHYTON 27	Best	Best	[n/r]	Best		
Piccolastic A5 Hydrocarbon Resin, Polystyrene Resin	Best	Best	Best	Best		May be too thick for GT pumps
Pickling Solution	[n/r]	Do Not Use	Caution	Good		
Picric Acid	Do Not Use	Good	[n/r]	Best		
Pine Oil	Best	[n/r]	[n/r]	[n/r]		
Pinene	Do Not Use	Good	[n/r]	Best		
Plating Solutions: Antimony	Best	[n/r]	[n/r]	Best		
Plating Solutions: Arsenic	Best	[n/r]	[n/r]	Best		
Plating Solutions: Brass	Best	[n/r]	[n/r]	Best		
Plating Solutions: Bronze	Best	[n/r]	[n/r]	Best		
Plating Solutions: Cadmium	Best	[n/r]	[n/r]	Best		
Plating Solutions: Chrome	Caution	Best	[n/r]	Best		
Plating Solutions: Copper	Best	[n/r]	[n/r]	Best		
Plating Solutions: Gold	Best	[n/r]	[n/r]	Best		
Plating Solutions: Indium	Best	[n/r]	[n/r]	Best		
Plating Solutions: Iron	Best	[n/r]	[n/r]	Best		
Plating Solutions: Lead	Best	[n/r]	[n/r]	Best		
Plating Solutions: Nickel	Best	[n/r]	[n/r]	Best		

Plating Solutions: Silver	Best	[n/r]	[n/r]	Best		
Plating Solutions: Tin	Best	[n/r]	[n/r]	Best		
Plating Solutions: Zinc	Best	[n/r]	[n/r]	Best		
PNB	Good	Best	Do Not Use	Good		
POLY CHEM AERASTRIP 600 B&G	Do Not Use	Good	Best	Do Not Use		50/50 stong mix with water
Poly Sorbate 80	Best	Good	Do Not Use	Good		
Poly(aluminum hydroxy) chloride	Best	Best	Best	Best		
Polybutene	[n/r]	[n/r]	[n/r]	[n/r]		Too thick for GT pumps
Polyethylene Glycol	Do Not Use	Best	Best	Best		
Polyt-74	Best	Best	Best	Best		
Polyvinyl Acetate Emulsion	Best	Best	[n/r]	Best		
Potassium Acetate	Best	Best	[n/r]	Best		
Potassium Borate	Best	[n/r]	Best	Best		
Potassium Bromate	Best	[n/r]	Best	Best		
Potassium Bromide	Best	[n/r]	Best	Best		
Potassium Chloride	Best	Best	Best	Best		
Potassium Cupro Cyanide	Best	Best	[n/r]	Best		
Potassium Cyanide Solutions	Best	Best	Best	Best		
Potassium Dichromate	Best	Best	Best	Best		
Potassium Hydroxide	[n/r]	Best	[n/r]	[n/r]		
Potassium Hydroxide 60%	Do Not Use	Best	Best	Do Not Use		Test

Potassium Nitrate	Best	Best	[n/r]	Best		
Potassium Salts	Best	[n/r]	[n/r]	[n/r]		
Potassium Sulfate	Best	Best	Best	Best		
POWERZONE	Do Not Use	Do Not Use	[n/r]	Best		
Precision Press#2	Good	Do Not Use	[n/r]	Best		Use Tygon 4040 flexible tubing
Prelude	Do Not Use	Do Not Use	Do Not Use	Best		
PREP 720	Good	[n/r]	[n/r]	[n/r]		Wash
PRESS WASH 103 (CMG)	Caution	Do Not Use	Do Not Use	Best		Use Tygon 4040 flexible tubing
PRIMAL ASE-60	Best	[n/r]	[n/r]	[n/r]		
PRINCEP	Do Not Use	Do Not Use	[n/r]	Best		
Printers Etch	[n/r]	[n/r]	[n/r]	Best		
Proclean	Good	[n/r]	[n/r]	Best		
Propane (Liquified) (LPG)	Best	Caution	Do Not Use	Best		
propenoic Acid	[n/r]	[n/r]	[n/r]	[n/r]		
propionic acid	Do Not Use	Good	Good	Best		FEP lined tubing required for remote discharge nozzle
Propyl Acetate	Do Not Use	Good	[n/r]	Do Not Use		Wash
Propyl Alcohol	Good	Best	[n/r]	Best		
Propyl Nitrate	[n/r]	Good	[n/r]	Do Not Use		
Propylene	Do Not Use	Do Not Use	[n/r]	Best		
Propylene Glycol	Best	Best	Best	Best		
Propylene Oxide	n/r	Best			Flammable liquid; use our SCP groundable Pump	
PROSCECUTOR	Do Not Use	Do Not Use	Do Not Use	Best		
Prothiofos	[n/r]	[n/r]	[n/r]	Best		
Proxel GL	Do Not Use	Do Not Use	Do Not Use	Best		
Proxel GLX	[n/r]	Best	Good	[n/r]		
PSA Purge Solvent	Do Not Use	Do Not Use	Do Not Use	Best		Needs FEP Lined Hose
Pyganic, MGK	Do Not Use	Do Not Use	Do Not Use	Best		
PYLON	Do Not Use	Do Not Use	[n/r]	Best		
PYRENONE 25-5	Caution	Do Not Use	Do Not Use	Best		mosquito control
Pyridine Oil	Do Not Use	Good	[n/r]	Do Not Use		

Pyroil Low VOC Non-Chlr Brake	Do Not Use	Good	Do Not Use	Do Not Use		
Pyroligneous Acid	Good	Caution	[n/r]	Best		Wash
Pyrolubo	[n/r]	[n/r]	[n/r]	Best		
QUICK SILVER	Do Not Use	Do Not Use	[n/r]	Best		
QUINTOZENE FLOWABLE	Best	[n/r]	[n/r]	[n/r]		
Rapeseed Oil	Do Not Use	Best	[n/r]	Best		
RAXIL C Flowable seed dressing	Best	[n/r]	[n/r]	[n/r]		
RD-20	Do Not Use	Do Not Use	[n/r]	Best		
Red Dye #D858 (French Color)	[n/r]	[n/r]	[n/r]	Best		
REVOLUTION	Do Not Use	Best	Best	Best		wetting agent
Reward Herbicide (Diquat dibromide)	[n/r]	[n/r]	[n/r]	Best		
Rhoma-Sol	[n/r]	[n/r]	[n/r]	Best		Turns to gel on contact with air
RODEO	Do Not Use	Do Not Use	[n/r]	Best		
ROGOR 400	[n/r]	[n/r]	[n/r]	Best		
Roots 1-2-3	Do Not Use	Best	[n/r]	Best		
ROUNDUP	[n/r]	[n/r]	[n/r]	Best		
ROUNDUP PRO	Do Not Use	Do Not Use	[n/r]	Best		
ROUNDUP QUIKPRO	Do Not Use	Do Not Use	[n/r]	Best		
ROVRAL AQUAFLO	Best	[n/r]	[n/r]	[n/r]		
ROVRAL LIQUID	Best	[n/r]	[n/r]	[n/r]		
ROVRAL LIQUID S.D.	Best	[n/r]	[n/r]	[n/r]		
RTU D2 Sanitizer (ZEP)	[n/r]	[n/r]	[n/r]	Best		Use Tygon 2375 tubing
RV Antifreeze	[n/r]	Best	[n/r]	[n/r]		
SAFETY PAL	Do Not Use	Caution	Caution	Good		
Sal Ammoniac	Best	Best	[n/r]	Best		

Salicylic Acid	Best	Best	[n/r]	Best		
SaniDate 5.0 Sanitizer/Disinfectant	Do Not Use	Caution	Caution	Best		
SaniDate 12.0 Midrobiocide	Do Not Use	Do Not Use	Do Not Use	Best		
Sanitizer 141, Ethylhexyl Diphenyl	[n/r]	Best	[n/r]	Good		
Sanitizer 160, Benzyl Butyl Phthalate	[n/r]	Best	[n/r]	Best		
SANTICIZER	[n/r]	Best	[n/r]	[n/r]		
Saphira Alcohol Replacement	Best	Caution	Caution	Good		
Saphira Fountain Solution 201	Good	Good	Do Not Use	Best		
Saphira Press Wash Conventional	Best	Do Not Use	Do Not Use	Good		
Saphira Presswash Conventional Ink, Aliphatic Hydrocarbon	[n/r]	[n/r]	[n/r]	[n/r]		no information
SBT-710	Good	[n/r]	[n/r]	Best		
SC 300M Silicone Gel Encapsulant	[n/r]	[n/r]	[n/r]	Best		
Sea Water	Best	Best	Best	Best		
SEMEVIN 500 P	Best	[n/r]	[n/r]	[n/r]		
SENCOR 480 SC	Best	[n/r]	[n/r]	[n/r]		
Sequestrian 30 A	[n/r]	[n/r]	[n/r]	Best		
Silicate Esters	Good	Do Not Use	[n/r]	Best		
Silicone Fluid	[n/r]	[n/r]	Good	[n/r]		
Silicone Greases	Best	Best	Best	Best		
Silicone Oils	Best	Best	Do Not Use	Best		

Silquest A-1120 Silane	Best	[n/r]	[n/r]	Best		
Silver Nitrate	Best	Best	Best	Best		
Simple Green - all strengths	Best	Do Not Use	Do Not Use	Do Not Use		Standard PVC Tubing is recommend for Remote Taps
SKYTROL	Do Not Use	Best	[n/r]	Do Not Use		For taps, use Tygon 200SE FEP lined tubing
SLIX	Do Not Use	Good	Caution	Do Not Use		
Slocum Adhesives Corp #859	[n/r]	[n/r]	[n/r]	[n/r]		no information
Soap Solutions	Best	Best	Best	Best		
Soda Ash (Sodium Carbonate)	Best	Best	[n/r]	Best		
Sodium Acetate	Best	Best	[n/r]	Good		
Sodium Bicarbonate (Baking Soda)	Best	Best	Best	Best		
Sodium Bisulfate	Best	Best	Best	Best		
Sodium Bisulfite	Best	Best	Best	Best		
Sodium Borate	Best	Best	Best	Best		
Sodium Carbonate	Good	Best	Best	Best		
Sodium Chloride (Salt)	Best	Best	Best	Best		
Sodium Cyanide	Best	Best	[n/r]	Best		
Sodium Hydroxide (20% Solution)	Best	Best	Best	Do Not Use		
Sodium Hydroxide (50% Solution)	Do Not Use	Best	Best	Do Not Use		
Sodium Hydroxide (80% Solution)	Do Not Use	Best	[n/r]	Do Not Use		
Sodium Hypochlorite (to 5%)	Good	Good	Best	Best		
Sodium Hypochlorite (to 15%)	Do Not Use	Best	Best	Best		

Sodium Lauryl Sulfate (dodecyl sulfate 70%)	[n/r]	[n/r]	Best	[n/r]		
Sodium Metaphosphate	Best	Best	[n/r]	Best		Test
Sodium Metasilicate	[n/r]	Best	[n/r]	[n/r]		
Sodium Nitrate	Best	Best	Best	Best		
Sodium Perborate	Good	Best	[n/r]	Best		
Sodium Peroxide	Best	Best	[n/r]	Best		
Sodium Phosphate	Best	Best	Best	Best		
Sodium Phosphate, Monobasic	Best	Best	[n/r]	Best		
Sodium Phosphate, Tribasic	Best	Best	[n/r]	Best		
Sodium Salts	Best	[n/r]	[n/r]	[n/r]		
Sodium Silicate	Best	Best	[n/r]	Best		
Sodium Sulfide	Best	Best	Best	Best		
Sodium Sulphate	Best	Best	Best	Best		
Sodium Sulphite	Best	Best	[n/r]	Best		
Sodium Thiosulphate (Hypo)	Best	Best	[n/r]	Best		
Sodium Xylene Sulphonate	[n/r]	[n/r]	[n/r]	Best		
Solvent 1288	Best	[n/r]	[n/r]	[n/r]		Best- Use our PTFE pump
Solvent CB27	[n/r]	[n/r]	[n/r]	[n/r]		Best- Use our PTFE pump
SOPUS Products 601 M-12	Best	[n/r]	[n/r]	[n/r]		
Sorbitan Monolaurate Polyoxethylene	Best	[n/r]	[n/r]	[n/r]		
soy sauce	Best	[n/r]	[n/r]	Best		all pumps are food grade rated
Soybean Oil	Best	Best	Good	Best		
SPEEDZONE ST. AUGUS	Do Not Use	Do Not Use	[n/r]	Best		

SPIN FLOWABLE	Best	[n/r]	[n/r]	[n/r]		
Squid Ink SI-PZ4243	[n/r]	[n/r]	[n/r]	Best		Needs Tygon 2375 Tubing
SS Solvent	[n/r]	[n/r]	[n/r]	[n/r]		Needs Static Conductive pump PTFE best
STAIN (MH)	Caution	Good	Do Not Use	Best		
Stannic Chloride	Best	Best	[n/r]	Best		
Stannous Chloride	Best	Good	Best	Best		
Stardis (R) 450	[n/r]	[n/r]	[n/r]	Best		
Stearic Acid	Good	Do Not Use	Do Not Use	Best		Tygon 4040 or Tygon SE200 for hose
STEN ERASE	Best	[n/r]	[n/r]	Best		
Stepanquat 8358	Good	Best	Best	Good		
StorOx Bactericide	Do Not Use	Caution	Caution	Best		
StorOx Fungicide	Do Not Use	Good	Caution	Best		
Strong Acid	[n/r]	[n/r]	Best	[n/r]		
Styrene Monomer	Best	Best	Best	Best		
Sucrose Solution	Best	Best	[n/r]	Best		
Sulfur Chloride	Caution	Do Not Use	[n/r]	Best		
Sulfuric Acid (10-30%)	Do Not Use	Do Not Use	Do Not Use	Best		
Sulfuric Acid (35-80%)	Do Not Use	Do Not Use	Do Not Use	Best		
Sulfuric Acid (85-90%)	Do Not Use	Do Not Use	Do Not Use	Best		
Sulfuric Acid (90%+)	Do Not Use	Do Not Use	Do Not Use	Best		
Sulfurous Acid	Do Not Use	Do Not Use	[n/r]	Best		
Sulphur Hexafluoride	Good	Best	[n/r]	Best		
Sulphur Liquors	[n/r]	[n/r]	[n/r]	Best		
SUPER BLUE	Do Not Use	Best	Good	Do Not Use		
SUPRACIDE	[n/r]	[n/r]	[n/r]	Best		
SURF -80	Do Not Use	Best	Do Not Use	Do Not Use		
SURFLAN AS	Do Not Use	Do Not Use	[n/r]	Best		
Tannic Acid	Best	Good	Best	Best		

Tartaric Acid	Best	Best	Best	Best		
TBAC	[n/r]	[n/r]	[n/r]	[n/r]		no information
TDS-KS Compound	[n/r]	[n/r]	[n/r]	Best		too thick out of container; use only as emulsified product
TECHSPRAY FLUX REMOVER nPB	Do Not Use	Best	Best	Good		use Tygon 200SE tubing for tap - FEP lined
TECHTRIDE NPB-DG	Do Not Use	Best	Best	Good		use Tygon 200SE tubing for tap - FEP lined
Tecsol A Solvent, 95%	Do Not Use	Best	Good	Do Not Use		
Tera Bromoethane	Do Not Use	Best	[n/r]	Best		Test
Tergitol	[n/r]	[n/r]	Good	[n/r]		
Tergitol (Dow)	[n/r]	[n/r]	[n/r]	Best		
TERIC GN9	Best	[n/r]	[n/r]	[n/r]		
Terpineol	Good	Caution	[n/r]	Best		
Terpinieol	Caution	Do Not Use	Do Not Use	Best		Viton or 200SE Hosing
TerraClean Soil Treatment	Do Not Use	Caution	Caution	Best		
Tertiary Butyl Acetate	[n/r]	[n/r]	[n/r]	[n/r]		no information
Tertiary Butyl Alcohol	Do Not Use	Good	[n/r]	Best		
test	Caution	Best	Best	Good		test
TETA	Caution	Do Not Use	Do Not Use	Best		FEP Lined Hose
Tetrabutyl Titanate	Good	Good	[n/r]	Best		
Tetrachloroethane	Do Not Use	Do Not Use	Do Not Use	Best		Test
Tetrachloroethylene	Do Not Use	Do Not Use	Do Not Use	Best		Test
Tetraethyl Lead	Good	Caution	[n/r]	Best		
Tetrahydrofuran	Do Not Use	Do Not Use	Do not use	Do Not Use	PP, the fluid path, has FAIR rating; Kalrez -teflon o-ring pump may work	Wash
Tetraline	Caution	Do Not Use	[n/r]	Best		Test
Tetrasodium Ethylenediamine Tetraacetate	[n/r]	Best	[n/r]	[n/r]		

THE CLASSIC 18-2-6 LIQUID FERTILIZER	Best	Do Not Use	[n/r]	Best		
Thinners	Caution	Caution	Best	Caution		Test
Titanium Tetrachloride	Caution	Do Not Use	[n/r]	Best		Test
TKO Phosphit Concentration	Good	Good	Good	Best		
TKO PHOSPHITE	Best	Best	Best	Best		
TKO PHOSPHITE 0-29-29	Best	Best	[n/r]	Best		
TOKUTHION	[n/r]	[n/r]	[n/r]	Best		
Tolcide P570A	Best	Best	Best	Best		Also known as Mictreat
Toluene	Do Not Use	Good	Do Not Use	Best		Test
Toluene Diisocyanate	[n/r]	Best	[n/r]	[n/r]		Wash
TOP COAT (AU SANCURE)	Caution	Good	Good	Best		
Topklean EL 20-A	[n/r]	[n/r]	[n/r]	Best		
TOTRIL	[n/r]	[n/r]	[n/r]	Best		
TOUGH 450 EC	[n/r]	Best	[n/r]	[n/r]		
Tower Pack	Best	[n/r]	[n/r]	Best		
TR-407	[n/r]	Best	[n/r]	[n/r]		
Transformer Oil	Best	Do Not Use	[n/r]	Do Not Use		
TRANSLINE	Do Not Use	Do Not Use	[n/r]	Best		
Transmission Fluid Type A	Best	Caution	[n/r]	Best		
Tri-isopropanolamine	[n/r]	Good	[n/r]	[n/r]		Wash
Triacetin	Good	Best	[n/r]	Good		
TRIACT	Do Not Use	Do Not Use	[n/r]	Best		
Triaryl Phosphate	[n/r]	Best	[n/r]	[n/r]		
Tributoxy Ethyl Phosphate	Caution	Best	[n/r]	Good		
Tributyl Phospate	Do Not Use	Good	[n/r]	Do Not Use		

Tributyl Trichloroacetic Acid	[n/r]	Caution	[n/r]	[n/r]		
Trichloroethylene	Do Not Use	Do Not Use	Do Not Use	Best		May need teflon o-rings after 1 year service. Limited Warranty
Tricresylphosphate	Caution	Best	[n/r]	Good		
TriCure SD Soil Surfactant	[n/r]	[n/r]	[n/r]	[n/r]		Must be heated to use GT Pump
TRIDAN	[n/r]	[n/r]	[n/r]	Best		
Triethanol Amine	Caution	Best	Best	Do Not Use		
TRIMEC 992	Do Not Use	Do Not Use	Do Not Use	Best		flush system regularly to avoid salt buildup
Trinitrol Toluene	Do Not Use	Do Not Use	[n/r]	Good		Wash
Trioctyl Phosphate	Do Not Use	Best	[n/r]	Do Not Use		
Tripoly Phosphate	[n/r]	Best	[n/r]	[n/r]		
TruBlue Deoderizer	Do Not Use	Best	Best	Best		
TRUEX 70 SERIES	[n/r]	[n/r]	[n/r]	Best		
TRUEX Series (JJ Chem)	Caution	Do Not Use	Do Not Use	Best		
Tung Oil	Good	Do Not Use	Do Not Use	Best		
Turbine Oil	Best	Do Not Use	[n/r]	Best		
Turbo Oil	Best	[n/r]	[n/r]	[n/r]		
TURFLON ESTER	Do Not Use	Do Not Use	[n/r]	Best		
Turpentine	Good	Good	[n/r]	Best		Test
TWEEN 20	Best	[n/r]	[n/r]	[n/r]		
ULTRA FINE OIL	Best	Do Not Use	[n/r]	Best		
Urea	Best	Best	Best	Best		
URINEX (JJ Chem)	Do Not Use	Best	Good	Do Not Use		
UV-396 (UV-300)	Do Not Use	Caution	Caution	Best		Use FEP lined tubing for remote discharge nozzle
Vaporene	Do Not Use	Best	Do Not Use	Do Not Use		
Varnish	Best	Do Not Use	[n/r]	Best		
VECTOBAC 12 AS	Good	Do Not Use	Do Not Use	Best		mosquito control
Vegetable Oils	Best	Best	[n/r]	Best		
VERTREL SDG (Dupont)	Do Not Use	Good	Do Not Use	Good		Specialty pump - EPDM with Viton tap washer and o-ring

Vertrel Solvents (Dupont)	[n/r]	Best	[n/r]	[n/r]		Test
Vesene 100 Dow	[n/r]	[n/r]	[n/r]	Best		
Vinegar	Caution	Best	Best	Best		
Vinegar, 20%	Do Not Use	Best	Best	Good		
Viscoatex	Caution	Best	Best	Good		
VRE	[n/r]	[n/r]	[n/r]	[n/r]		
W 3635 E	Best	[n/r]	[n/r]	[n/r]		
W 3671 B	Best	[n/r]	[n/r]	[n/r]		
Water	Best	Best	Best	Best		
Way-Vos (Birko)	[n/r]	Best	Best	[n/r]		
WD 40	Good	[n/r]	[n/r]	Best		Speical pump recommended - Viton Pump with Nitrile Drum Seals
WEED-HOE 108	Do Not Use	Do Not Use	[n/r]	Best		
WEEDAR 64	Do Not Use	Do Not Use	[n/r]	Best		
White Oil	Best	Caution	[n/r]	Best		
White Pine Oil	Good	Caution	[n/r]	Best		
Wine and Whiskey	Best	Best	Best	Best		
Wood Oil	Best	Good	[n/r]	Best		
X77	Best	[n/r]	[n/r]	[n/r]		
X-XTRA IRON 6-0-0	Best	Do Not Use	[n/r]	Do Not Use		
Xenon	Best	[n/r]	[n/r]	[n/r]		
xIAMETER pmx-1184 sILICON FLUID	Best	Best	Best	Best		Use Tyfon 2375 Hose
Xylene	Caution	Do Not Use	Do Not Use	Good		
Xylol	Do Not Use	Do Not Use	Do Not Use	Good		
Yellow Dye #D3299 (French Color)	[n/r]	[n/r]	[n/r]	Best		
Yumate KC-770	[n/r]	[n/r]	[n/r]	Best		
Zeolites	Good	Best	[n/r]	Best		
ZEP 4089FS	[n/r]	Best	[n/r]	[n/r]		
ZEP Carb X	Do Not Use	Do Not Use	Do Not Use	Best		May need tap oring replacement from time to time
Zep L.D. Red (Liquid)	Do Not Use	Do Not Use	Do Not Use	Best		
ZEP Lubenze Omni	Do Not Use	Do Not Use	Do Not Use	Best		

ZEP PLS Protective Lubricating Spray	Good	[n/r]	[n/r]	Best		Special pump recommended - Viton Pump with Nitrile Drum Seals, Call for pricing
ZEP Protect-ALL	Do Not Use	Best	Do Not Use	Do Not Use		
ZEP T'N'T Truckwash	[n/r]	Best	[n/r]	[n/r]		
Zep True Blitz	Do Not Use	Do Not Use	Do Not Use	Best		Change tap o-rings regularly
Zep- Brakewash	Caution	Do Not Use	Do Not Use	Best		
ZEP-OFF	Do Not Use	Do Not Use	Do Not Use	Best		testing required for hosing
ZEPCorex	[n/r]	[n/r]	[n/r]	Best		
ZeroTol Algaecide	Do Not Use	Caution	Caution	Best		
ZeroTol Fungicide	Do Not Use	Caution	Caution	Best		
Zinc Acetate	Best	Best	[n/r]	Best		
Zinc Chloride	Best	Best	Best	Best		
Zinc Salts	Best	[n/r]	Best	[n/r]		
Zinc Sulfate	Best	Best	Best	Best		