



## Model 610 Hose Retriever, Bases, Hose Hanger, & Hosebun

SPECIFICATION SHEET

The **610 Hose Retriever** suspends the fueling hose above the dispenser eliminating kinks and tangles while keeping the hose up off the drive. The 360 degree smooth rotating retriever head assists the operator in positioning the hose to the fueling point. The hose retriever reduces safety hazards at the fueling point and eliminates hose wear.

A heavy duty steel base is available to simplify retrofit installations saving time and money. Two 10-pound counterweights connect via stainless steel cable making for low maintenance and trouble-free counter movement. Extra weights are available for larger diameter hoses.

### Construction Details for Hose Retriever

- Cast iron head (E-coated black)
- Stainless steel cable and connectors
- Aluminum pulley
- Stainless steel ball bearing swivel
- Installs on 2" Schedule 80 pipe (installer supplied)



Fig. 610

The **610 Standard Base** makes the anchoring process a 610 hose retriever easier by eliminating the need to break concrete. The **610 Hinged Base** allows the hose retriever to be tilted 90° to grade level for installation and service.

### Features of Hinged Base

- Reduces installation time
- Inspection and service are easier and safer from grade level

### Construction Details

#### Hinged Base

- Steel, powder coated black
- Set screws are stainless steel
- Hinge is stainless steel

#### Standard Base

- Steel, powder coated black



Fig. 610 Standard Base  
610B--0100 WAPB



Fig. 610  
Hinged Base

610B--0200 AB



MORRISON BROS. CO.

## Model 610 Hose Retriever, Bases, Hose Hanger, & Hosebun (continued)

The proper way to cradle a hose while suspended from a hose retriever is with a Hose Hanger or a Hosebun.

The **611 Hose Hanger** supports the bend radius, protecting the hose from kinking. This product is easy to install and is the most economical choice!

### Features

- Durable construction
- Low cost with high quality
- Extends life of the hose

### Construction Details

- Cast aluminum, powder coated
- Stainless steel hardware
- Nylon spacers (1¼"-2" size)
- Stainless steel D-ring
- UV resistant polyester sling
- Stainless steel hose clamps with hose protectors



The **610 Hosebun** protects the bending radius, protecting the hose from kinking. This product is easy to install and has a 5-1 safety factor.

### Construction Details for Hosebun

- Urethane Hosebun
- Nylon sling



**Model 610 Hose Retriever, Bases, Hose Hanger, & Hosebun (continued)**

I.D. Number	Description	Weight Kit	Hose Hanger/ Hosebun	Base	Weight (lbs)
610---0000 AR	Hose Retriever Assembly, Less Weights	N	N	N	7.10
610---0100 AR	Hose Retriever Assembly, with Weight Kit	Y	N	N	27.0
610B--0000 AR	Hose Retriever Assembly, with Weight Kit and Standard Base	Y	N	Y	33.30
I.D. Number	Description	Weight Kit	Hose Hanger	Base	Weight (lbs)
610HH-0100 AR	Hose retriever assembly, with 1" Hose hanger and Weight Kit	Y	1"	N	30.50
610HH-0150 AR	Hose retriever assembly, with 1¼" to 1½" Hose hanger and Weight Kit	Y	1¼ -1½"	N	31.50
610HH-0200 AR	Hose retriever assembly, with 2" Hose hanger and Weight Kit	Y	2"	N	32.50
610HHB0100 AR	Hose retriever with base, with 1" Hose hanger and Weight Kit	Y	1"	Y	36.80
610HHB0150 AR	Hose retriever with base, with 1¼" to 1½" Hose hanger and Weight Kit	Y	1¼ -1½"	Y	37.80
610HHB0200 AR	Hose retriever with base, with 2" Hose hanger and Weight Kit	Y	2"	Y	38.80
610HHBH0100 AR	Hose retriever with hinged base, with 1" Hose hanger and Weight Kit	Y	1"	Y	54.80
610HHBH0150 AR	Hose retriever with hinged base, with 1¼" to 1½" Hose hanger and Weight Kit	Y	1¼ -1½"	Y	55.80
610HHBH0200 AR	Hose retriever with hinged base, with 2" Hose hanger and Weight Kit	Y	2"	Y	56.80
I.D. Number	Description	Weight Kit	Hosebun	Base	Weight (lbs)
610H--0100 AR	Hose Retriever Assembly, with 1" Hosebun and Weight Kit	Y	1"	N	30.50
610H--0125 AR	Hose Retriever Assembly, with 1¼" Hosebun and Weight Kit	Y	1¼"	N	31.0
610H--0150 AR	Hose Retriever Assembly, with 1½" Hosebun and Weight Kit	Y	1½"	N	31.50
610H--0200 AR	Hose Retriever Assembly, with 2" Hosebun and Weight Kit	Y	2"	N	32.50
610H--0300 AR	Hose Retriever Assembly, with 3" Hosebun and Weight Kit	Y	3"	N	33.0
610HB-0100 AR	Hose Retriever Assembly with Standard Base and 1" Hosebun and Weight Kit	Y	1"	Y	36.80
610HB-0125 AR	Hose Retriever Assembly with Standard Base and 1¼" Hosebun and Weight Kit	Y	1¼"	Y	37.30
610HB-0150 AR	Hose Retriever Assembly with Standard Base and 1½" Hosebun and Weight Kit	Y	1½"	Y	37.80
610HB-0200 AR	Hose Retriever Assembly with Standard Base and 2" Hosebun and Weight Kit	Y	2"	Y	38.80
610HB-0300 AR	Hose Retriever Assembly with Standard Base and 3" Hosebun and Weight Kit	Y	3"	Y	39.30
610BUN0100 1B	Hosebun, 1" (black)	N	1"	N	3.0
610BUN0125 1B	Hosebun, 1¼" (black)	N	1¼"	N	3.25
610BUN0150 1B	Hosebun, 1½" (black)	N	1½"	N	3.75
610BUN0200 1B	Hosebun, 2" (black)	N	2"	N	4.0
610BUN0300 1B	Hosebun, 3" (black)	N	3"	N	4.25
I.D. Number	Description	Weight Kit	Hose Hanger/ Hosebun	Base	Weight (lbs)
610B--0100 WAPB	Standard Base Assembly, Powder Coated Black	N	N	Y	5.30
610B--0200 AB	Hinged Base Assembly, Powder Coated Black	N	N	Y	24.0
610---0103 AK	Single Weight Kit (If additional weights are needed)	Y	N	N	11.0
610---0203 AK	Double Weight Kit (If additional weights are needed)	Y	N	N	21.0

570 E. 7th Street, P.O. Box 238 | Dubuque, IA 52004-0238  
t. 563.583.5701 | 800.553.4840 | f. 563.583.5028