

# HAND PUMPS FOR CHEMICALS

## WHAT'S DIFFERENT ABOUT PUMPING CHEMICALS?

Harsh chemicals require a different kind of pump. Chemicals can damage internal seals and pit the internals of a pump that is not specifically designed for chemicals. Our products are tested inside and out to resist the damage caused by chemicals. Contact GPI Customer Service at **1-800-835-0113** if you have questions about chemical compatibility.



**PUMP  
SPECS**

### WORLD'S HIGHEST FLOW



**HAND  
PUMP**



MODEL	<b>HP-100C-2TC</b>	<b>LP-50</b>
PART NUMBER	114000-11	129000-1
PUMP TYPE	Piston	Lever
FLOWRATE	Up to 50 gallons per 100 strokes.	Up to 1 pint per stroke.
NOZZLE TYPE	Thermoplastic	Molded Acetal Spout
HOSE TYPE	Chemical	None
HOSE SIZE	8 ft. (2.5m) x 3/4 in.	None
TANK FITTING	2 in. NPT	2 in. NPT
INLET/OUTLET SIZE	1 in. / 3/4 in.	N/A
SUCTION PIPE	Adjustable to 40 in.	Adjustable to 36 in.
UNIQUE FEATURE	Pump moves fluid on both push and pull strokes.	Unique design for smooth and easy strokes.
USE WITH	Thin to thick chemicals up to 3,000 centipoise viscosity. <b>Do not use with fuel products or water.</b>	Water, petroleum products, agricultural chemicals and diesel exhaust fluid (DEF). <b>Do not use with kerosene, windshield washer fluid or flammable fluids.</b>
APPROVALS	None	None
WARRANTY	2 Year	90 Day